

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13289	heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 09:56
S2	11236	heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:32
S3	347	(monitor\$3 or supervis\$4 or check\$3) with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:37
S4	2463	protected adj2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:33
S5	0	S3 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:33
S6	2	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:33
S7	1	(speculat\$4 near4 execut\$4) near6 (lock adj2 free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:58
S8	5	(speculat\$4 near4 execut\$4) same (lock adj2 free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:36

S9	13	(speculat\$4 near4 execut\$4) and (lock adj2 free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:36
S10	2376	(speculat\$4 near4 execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:37
S11	0	S10 with S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:37
S12	47	S10 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:37
S13	5	S3 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:52
S14	10	60/447128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 14:25
S15	5413	(reduc\$3 or decreas\$3 or control\$4 or manag\$3) same (cache adj2 line\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:55
S16	333	(reduc\$3 or decreas\$3 or control\$4 or manag\$3) same (cache adj2 mark\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:55

S17	2463	protected adj2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:56
S18	9	S15 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:30
S19	11236	heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:57
S20	21	S15 same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:22
S21	0	S16 same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:57
S22	1	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:57
S23	149	S15 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:57
S24	31	(speculat\$4 near4 execut\$4) same S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:01

S25	0	(speculat\$4 near4 execut\$4) same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:58
S26	11	(speculat\$4 near4 execut\$4) and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:18
S27	1	(speculat\$4 near4 execut\$4) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:18
S28	8	S23 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:58
S29	112	(monitor\$3 or supervis\$4 or check\$3 or watch\$3) with (speculat\$3 near3 execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:41
S30	0	S29 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:42
S31	20	S29 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:42
S32	6316	(monitored or supervised) near10 (load or load-mark or load mark or (load adj store) near2 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:56

bw

S33	5	S32 with S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:58
S34	5	S32 same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:58
S35	21	S32 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:58
S36	2	"6370639".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/17 08:59
S37	2	programmer near2 (determin\$3 or decid\$3 or select\$3) near2 load near2 (monitor\$3 or supervis\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/17 09:02
S38	116	programmer same (determin\$3 or decid\$3 or select\$3) same load same (monitor\$3 or supervis\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/17 09:02
S39	6	(speculat\$3 near2 execut\$4) with (cache near2 (mark or maker or flag or tag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 09:58
S40	9	(speculat\$3 near2 execut\$4) same (cache near2 (mark or maker or flag or tag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 09:59

S41	357	(speculat\$3 near2 execut\$4) and (cache near2 (mark or maker or flag or tag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:48
S42	18	(transaction\$3 near2 execut\$4) same (cache near2 (mark or maker or flag or tag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:01
S43	227	(monitor\$3 or supervis\$3 or watch\$3) and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:01
S44	15	interfer\$3 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:04
S45	125	(op code or opcode or op-code) and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:08
S46	3	selective same load mark\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:09
S47	32254	"711"/\$.ccls. or "718"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:10
S48	193	S41 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:10

S49	19	(load adj3 instruction) near4 interfer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:13
S50	22	((("20040186970") or ("20040162948") or ("20030079094") or ("20030066056") or ("6578033") or ("6360220") or ("5940827") or ("6460124") or ("5619671") or ("20030167292") or ("20030225996")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:47
S51	62	(speculat\$3 near2 execut\$4) with (generat\$3 near2 instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/17 10:49

IEEE Xplore
RELEASE 2.1[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Thu, 17 Nov 2005, 11:42:22 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1	((transactional execution)<in>metadata)
#2	((transactional <sentence> execution)<in>metadata)
#3	((transactional <sentence> execution)<in>metadata)

4.75

1

17

17

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -